Neuroscience Letters, 203 (1996) 219–222
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Aceves, J., see Flores, G., 203
Aizawa, S., see Enokido, Y., 1
Amann, R., Sirinathsinghji, D.J.S., Donnerer, J., Liebmann, I., Schuligoi, R., Stimulation by nerve growth factor of neuropeptide synthesis in the adult rat in vivo: bilateral response to unilateral intraplantar injections, 171
Angeretti, N., see Café, C., 61
Aoki, M., see Shimizu, H., 195
Apicella, P., Legallet, E., Trouche, E., Responses of tonically discharging neurons in monkey striatum to visual stimuli presented under passive conditions and during task performance, 147
Araki, T., see Enokido, Y., 1

Banczerowski-Pelyhe, I., see Világi, I., 139
Baumer, A., see Thome, J., 109
Beckmann, H., see Thome, J., 109
Behbehani, M.M., see Coyle, D.E., 37
Berbos, T.G., see Zhang, Z.-J., 214
Berger, M.L., Khomutov, A.R., Rebernik, P., Aminooxy-analogues of spermidine: new partial agonists and antagonists at the polyamine site of the rat hippocampal NMDA receptor complex, 25
Bertorelli, L., see Café, C., 61
Birkmayer, J.G.D., see Storga, D., 29
Blanco, R., Vaquero, C.F., de la Villa, P., Action potentials in axonless horizontal cells isolated from the rabbit retina, 57
Bolaños-Jiménez, F., see de Castro, R.M., 21

Café, C., Torri, C., Bertorelli, L., Angeretti, N., Lucca, E., Forloni, G., Marzatico, F., Oxidative stress after acute and chronic application of β-amyloid fragment 25–35 in cortical cultures, 61
Cairns, N., see Risser, D., 111
Chao, K.F., Liu, S.H., Lin-Shiau, S.Y., Suppression of potassium currents by cyanide on the mouse motor nerve terminals, 105
Chen, Y.-T., see Hu, W.-H., 13
Clark, C.L., see Powis, D.A., 131
Collingridge, G.L., see Fitzjohn, S.M., 211
Condamines, O., see Couratier, P., 155
Couratier, P., Lesort, M., Condamines, O., Mourton-Gilles, C., Delacourte, A., Hugon, J., Phorbol ester enhances phosphorylated tau protein immunoreactivity in neuronal cultures, 155
Coyle, D.E., Sehlhorst, C.S., Behbehani, M.M., Intact female rats are more susceptible to the development of tactile allodynia than ovariectomized female rats following partial sciatic nerve ligation (PSNL), 37
Csúcs, G., see Világi, I., 139
Cuevas, P., Giménez-Gallego, G., Antiepileptic effects of acidic fibroblast growth factor examined in kainic acid-mediated seizures in the rat, 66
Cunningham, A.J., Murray, C.A., O'Neill, L.A.J., Lynch, M.A., O'Connor, J.J., Interleukin-1β (IL-1β) and tumour necrosis factor (TNF) inhibit long-term potentiation in the rat dentate gyrus in vitro, 17

Dalal, A., see Giamberardino, M.A., 89
Damian, R.T., see Reichelt, W., 159
Darlot, C., see Denise, P., 183
David, J.A., Pitman, R.M., Cyclic-AMP regulation of calcium-dependent K channels in an insect central neurone, 151
de Castro, R.M., Bolaños-Jiménez, F., Seguin, L., Sarhan, H., Drieu, K., Fillion, G., Sub-chronic cold stress reduces 5-HT$_{1A}$ receptor responsiveness in the old but not in the young rat, 21
de la Villa, P., see Blanco, R., 57
Delacourte, A., see Couratier, P., 155
Denise, P., Etard, O., Zupan, L., Darlot, C., Motion sickness during off-vertical axis rotation: prediction by a model of sensory interactions and correlation with other forms of motion sickness, 183
Donnerer, J., see Amann, R., 171
Drieu, K., see de Castro, R.M., 21

El Tamer, A., Wülfert, E., Hanin, I., Age-dependent effect of AF64A on cholinergic activity in the septo-hippocampal pathway of the rat brain: decreased responsiveness in aged rats, 123
Endo, Y., Nishimura, J.-I., Kimura, F., Impairment of maze learning in rats following long-term glucocorticoid treatments, 199
Enokido, Y., Araki, T., Aizawa, S., Hatanaka, H., p53 involves cytosine arabinoside-induced apoptosis in cultured cerebellar granule neurons, 1
Escera, C., see Serra, J.Ma., 77
Etard, O., see Denise, P., 183

Ferrer, J.M.R., see Price, D.J., 93
Fillion, G., see de Castro, R.M., 21
Fitzjohn, S.M., Irving, A.J., Palmer, M.J., Harvey, J., Lodge, D., Collingridge, G.L., Activation of group I mGluRs potentiates NMDA responses in rat hippocampal slices, 211
Flores, G., Hernández, S., Rosales, M.G., Sierra, A., Martínes-Fong, D., Flores-Hernández, J., Aceves, J., M3 muscarinic receptors mediate cholinergic excitation of the spontaneous activity of subthalamic neurons in the rat, 203
Flores-Hernández, J., see Flores, G., 203
Forloni, G., see Café, C., 61
Fukui, K., Utsumi, H., Tamada, Y., Nakajima, T., Ibata, Y., Selective increase in astrocytic elements in the rat dentate gyrus after chronic toluene exposure studied by GFAP immunocytochemistry and electron microscopy, 85
Fukuzawa, K., see Hamada, Y., 97
Funase, K., Higashi, T., Yoshimura, T., Imanaka, K., Nishihira, Y., Evident difference in the excitability of the motoneuron pool between normal subjects and patients with spasticity assessed by a new method using H-reflex and M-response, 127

Giamberardino, M.A., Dalal, A., Valente, R., Vecchiet, L., Changes in activity of spinal cells with muscular input in rats with referred muscular hyperalgesia from ureteral calculosis, 89
Giménez-Gallego, G., see Cuevas, P., 66
Gonzalez, M.C., Linares, J.D., Santos, M., Llorente, E., Effects of nitric oxide donors sodium nitroprusside and 3-morpholino-sydnonimine on prolactin secretion in conscious rats, 167
Goo, Y.S., Kim, S.J., Lim, W., Kim, J., Depressor pathway involved in somatosympathetic reflex in cats, 187
Grau, C., see Serra, J.Ma., 77

Hamada, Y., Ikata, T., Katoh, S., Katoh, K., Niwa, M., Tsutsumishita, Y., Fukuzawa, K., Effects of exogenous transforming growth factor-β1 on spinal cord injury in rats, 97
Hanin, I., see El Tamer, A., 123
Hari, R., see Kettenmann, B., 143
Harvey, J., see Fitzjohn, S.M., 211

Hatanaka, H., see Enokido, Y., 1
Hernandez, M., see Reichelt, W., 159
Hernández, S., see Flores, G., 203
Herrera-Marschitz, M., see Risser, D., 111
Higashi, T., see Funase, K., 127
Hisa, Y., Koike, S., Uno, T., Tadaki, N., Tanaka, M., Okamura, H., Ibata, Y., Nitrergic neurons in the canine intrinsic laryngeal muscle, 45
Honda, K., see Nishina, H., 5
Hoshi, M., see Takashima, A., 33
Hu, W.-H., Lee, F.-C., Wan, X.-c.S.T., Chen, Y.-T., Jen, M.-F., Dynorphin neurotoxicity induced nitric oxide synthase expression in ventral horn cells of rat spinal cord, 13
Hu-Tsai, M., Woolf, C., Winter, J., Influence of inflammation or disconnection from peripheral target tissue on the capsaicin sensitivity of rat dorsal root ganglion sensory neurones, 119
Hugon, J., see Couratier, P., 155

Ibata, Y., see Fukui, K., 85
Ibata, Y., see Hisa, Y., 45
Ikata, T., see Hamada, Y., 97
Ikeuchi, Y., Nishizaki, T, Okada, Y., Repetitive applications of ATP potentiate potassium current by Ca^{2+}/calmodulin kinase in cultured rat hippocampal neurons, 115
Imahori, K., see Takashima, A., 33
Imanaka, K., see Funase, K., 127
Inoué, S., see Nishina, H., 5
Irving, A.J., see Fitzjohn, S.M., 211
Ishiguro, K., see Takashima, A., 33
Ito, I., Sakimura, K., Mishina, M., Sugiyama, H., Age-dependent reduction of hippocampal LTP in mice lacking *N*-methyl-D-aspartate receptor $\varepsilon 1$ subunit, 69
Itoh, N., see Miyake, A., 101

Jen, M.-F., see Hu, W.-H., 13
Jordan, B.L., see Reichelt, W., 159
Jousmäki, V., see Kettenmann, B., 143

Kageyama, H., see Ueda, K., 175
Kamogawa, H., Ohki, Y., Shimazu, H., Suzuki, I., Yamashita, M., Inhibitory input to pause neurons from pontine burst neuron area in the cat, 163
Katoh, K., see Hamada, Y., 97
Katoh, S., see Hamada, Y., 97
Kawasaki, K., see Ueda, K., 175
Kettenmann, B., Jousmäki, V., Portin, K., Salmelin, R., Kobal, G., Hari, R., Odorants activate the human superior temporal sulcus, 143
Khomutov, A.R., see Berger, M.L., 25
Kim, J., see Goo, Y.S., 187
Kim, O.N., see Lee, S.B., 53
Kim, S.J., see Goo, Y.S., 187
Kim, S.Y., see Lee, S.B., 53
Kimura, F., see Endo, Y., 199
Kisaalita, W.S., see Reichelt, W., 159
Kobal, G., see Kettenmann, B., 143
Koh, H.C., see Lee, S.B., 53
Koike, S., see Hisa, Y., 45
Konings, P.N.M., see Ruigt, G.S.F., 9
Kornhuber, J., see Thome, J., 109
Kozuma, S., see Nishina, H., 5

Landgrebe, M., see Toldi, J., 179
Laskawi, R., see Toldi, J., 179
Lee, F.-C., see Hu, W.-H., 13
Lee, S.B., Koh, H.C., Kim, O.N., Sung, K.W., Kim, S.Y., Intrathecal administration of sodium nitroprusside, a nitric oxide donor, increases blood pressure in anesthetized rats, 53
Legallet, E., see Apicella, P., 147
Lesort, M., see Couratier, P., 155
Liebmann, I., see Amann, R., 171
Lim, W., see Goo, Y.S., 187
Lin-Shiau, S.Y., see Chao, K.F., 105
Linares, J.D., see Gonzalez, M.C., 167
Liu, S.H., see Chao, K.F., 105
Llorente, E., see Gonzalez, M.C., 167
Lodge, D., see Fitzjohn, S.M., 211
Lorenc-Koci, E., see Ossowska, K., 73
Lubec, G., see Risser, D., 111
Lucca, E., see Café, C., 61
Lynch, M.A., see Cunningham, A.J., 17

Makkink, W.K., see Ruigt, G.S.F., 9
Marini, G., Pianca, L., Tredici, G., Thalamocortical projection from the parafascicular nucleus to layer V pyramidal cells in frontal and cingulate areas of the rat, 81
Martínes-Fong, D., see Flores, G., 203
Marzatico, F., see Café, C., 61
Mercken, M., see Takashima, A., 33
Michel, G., see Takashima, A., 33
Mishina, M., see Ito, I., 69
Miura, M., Okada, J., Takayama, K., Parapyramidal rostroventromedial medulla as a respiratory rhythm modulator, 41
Miyake, A., Itoh, N., Rat fibroblast growth factor receptor-4 mRNA in the brain is preferentially expressed in cholinergic neurons in the medial habenular nucleus, 101
Miyake, T., see Ui-Tei, K., 191
Miyata, Y., see Ui-Tei, K., 191
Mizuguchi, A., see Shimizu, H., 195
Mouri, T., see Satoh, F., 207
Mourton-Gilles, C., see Couratier, P., 155
Murakami, O., see Satoh, F., 207
Murray, C.A., see Cunningham, A.J., 17

Nakajima, T., see Fukui, K., 85
Nishihira, Y., see Funase, K., 127
Nishimura, J.-I., see Endo, Y., 199
Nishina, H., Honda, K., Okai, T., Kozuma, S., Inoué, S., Taketani, Y., Characteristic changes in sleep patterns during pregnancy in rats, 5
Nishizaki, T, see Ikeuchi, Y., 115
Niwa, M., see Hamada, Y., 97
Noguchi, K., see Takashima, A., 33

O'Connor, J.J., see Cunningham, A.J., 17
O'Neill, L.A.J., see Cunningham, A.J., 17
Ohki, Y., see Kamogawa, H., 163
Ohneda, M., see Satoh, F., 207
Okada, J., see Miura, M., 41
Okada, Y., see Ikeuchi, Y., 115
Okai, T., see Nishina, H., 5
Okamura, H., see Hisa, Y., 45
Onaka, T., see Yagi, K., 49
Ossowska, K., Lorenc-Koci, E., Schulze, G., Wolfarth, S., The

influence of dizocilpine (MK-801) on the reserpine-enhanced electromyographic stretch reflex in rats, 73
Palmer, M.J., see Fitzjohn, S.M., 211
Pianca, L., see Marini, G., 81
Pitman, R.M., see David, J.A., 151
Popov, V.I., Tsyganova, V.G., Replication of centrioles and differentiation of neurons in hippocampal slice cultures and olfactory neuroepithelium in the rat, 135
Portin, K., see Kettenmann, B., 143
Powis, D.A., Clark, C.L., A difference in the cellular mechanisms of secretion of adrenaline and noradrenaline revealed with lanthanum in bovine chromaffin cells, 131
Price, D.J., Ferrer, J.M.R., Estimates of the convergence of association projections from area 17 to rostral area 18 in the cat depend on injection site size, 93

Rebernik, P., see Berger, M.L., 25
Reibnegger, G., see Storga, D., 29
Reichelt, W., Hernandez, M., Damian, R.T., Kisaalita, W.S., Jordan, B.L., $GABA_A$ receptor currents recorded from Müller glial cells of the baboon (*Papio cynocephalus*) retina, 159
Riederer, P., see Thome, J., 109
Risser, D., You, Z.-B., Cairns, N., Herrera-Marschitz, M., Seidl, R., Schneider, C., Terenius, L., Lubec, G., Endogenous opioids in frontal cortex of patients with Down syndrome, 111
Rosales, M.G., see Flores, G., 203
Rösler, M., see Thome, J., 109
Ruigt, G.S.F., Makkink, W.K., Konings, P.N.M., SR 57746A attenuates cytostatic drug-induced reduction of neurite outgrowth in co-cultures of rat dorsal root ganglia and Schwann cells, 9

Sakimura, K., see Ito, I., 69
Salmelin, R., see Kettenmann, B., 143
Sánchez-Sastre, J., see Serra, J.Ma., 77
Sánchez-Turet, M., see Serra, J.Ma., 77
Santos, M., see Gonzalez, M.C., 167
Sarhan, H., see de Castro, R.M., 21
Sasano, H., see Satoh, F., 207
Sato, S., see Ui-Tei, K., 191
Satoh, F., Takahashi, K., Murakami, O., Totsune, K., Sone, M., Ohneda, M., Sasano, H., Mouri, T., Immunocytochemical localization of adrenomedullin-like immunoreactivity in the human hypothalamus and the adrenal gland, 207
Schneider, C., see Risser, D., 111
Schuligoi, R., see Amann, R., 171
Schulze, G., see Ossowska, K., 73
Seguin, L., see de Castro, R.M., 21
Sehlhorst, C.S., see Coyle, D.E., 37
Seidl, R., see Risser, D., 111
Serra, J.Ma., Escera, C., Sánchez-Turet, M., Sánchez-Sastre, J., Grau, C., The H1-receptor antagonist chlorpheniramine decreases the ending phase of the mismatch negativity of the human auditory event-related potentials, 77
Shimazu, H., see Kamogawa, H., 163
Shimizu, H., Mizuguchi, A., Aoki, M., Differential responses between CA1 pyramidal cells and granule cells to ischemic insult in rat hippocampal slices, 195
Sierra, A., see Flores, G., 203
Sirinathsinghji, D.J.S., see Amann, R., 171
Sone, M., see Satoh, F., 207
Storga, D., Vrecko, K., Birkmayer, J.G.D., Reibnegger, G., Monoaminergic neurotransmitters, their precursors and metabolites in brains of Alzheimer patients, 29
Sugiyama, H., see Ito, I., 69
Sung, K.W., see Lee, S.B., 53
Suzuki, I., see Kamogawa, H., 163

Tadaki, N., see Hisa, Y., 45
Takahashi, K., see Satoh, F., 207
Takashima, A., Noguchi, K., Michel, G., Mercken, M., Hoshi, M., Ishiguro, K., Imahori, K., Exposure of rat hippocampal neurons to amyloid β peptide (25–35) induces the inactivation of phosphatidyl inositol-3 kinase and the activation of tau protein kinase I/glycogen synthase kinase-3β, 33
Takayama, K., see Miura, M., 41
Taketani, Y., see Nishina, H., 5
Tamada, Y., see Fukui, K., 85
Tanaka, M., see Hisa, Y., 45
Tarnawa, I., see Világi, I., 139
Terenius, L., see Risser, D., 111
Thome, J., Kornhuber, J., Baumer, A., Rösler, M., Beckmann, H., Riederer, P., Association between a null mutation in the human ciliary neurotrophic factor (CNTF) gene and increased incidence of psychiatric diseases?, 109
Toldi, J., Laskawi, R., Landgrebe, M., Wolff, J.R., Biphasic reorganization of somatotopy in the primary motor cortex follows facial nerve lesions in adult rats, 179
Torri, C., see Café, C., 61
Totsune, K., see Satoh, F., 207
Tredici, G., see Marini, G., 81
Trouche, E., see Apicella, P., 147
Tsutsumishita, Y., see Hamada, Y., 97
Tsyganova, V.G., see Popov, V.I., 135

Ueda, K., Yagami, T., Kageyama, H., Kawasaki, K., Protein kinase inhibitor attenuates apoptotic cell death induced by amyloid β protein in culture of the rat cerebral cortex, 175
Ui-Tei, K., Sato, S., Miyake, T., Miyata, Y., Induction of apoptosis in a *Drosophila* neuronal cell line by calcium ionophore, 191
Uno, T., see Hisa, Y., 45
Utsumi, H., see Fukui, K., 85

Valente, R., see Giamberardino, M.A., 89
Vaquero, C.F., see Blanco, R., 57
Vecchiet, L., see Giamberardino, M.A., 89
Világi, I., Csúcs, G., Tarnawa, I., Banczerowski-Pelyhe, I., An increased intensity of *N*-methyl-D-aspartate (NMDA) but not non-NMDA receptor activation may be responsible for the enhancement of excitatory processes in the neocortex of two-week-old rats: a brain slices study, 139
Vrecko, K., see Storga, D., 29

Wan, X.-c.S.T., see Hu, W.-H., 13
Wiley, R.G., see Zhang, Z.-J., 214
Winter, J., see Hu-Tsai, M., 119
Wolfarth, S., see Ossowska, K., 73
Wolff, J.R., see Toldi, J., 179
Woolf, C., see Hu-Tsai, M., 119
Wrenn, C.C., see Zhang, Z.-J., 214
Wülfert, E., see El Tamer, A., 123

Yagami, T., see Ueda, K., 175
Yagi, K., Onaka, T., A benzodiazepine, chlordiazepoxide, blocks vasopressin and oxytocin release after footshocks but not osmotic stimulus in the rat, 49
Yamashita, M., see Kamogawa, H., 163
Yoshimura, T., see Funase, K., 127
You, Z.-B., see Risser, D., 111
Zhang, Z.-J., Berbos, T.G., Wrenn, C.C., Wiley, R.G., Loss of nucleus basalis magnocellularis, but not septal, cholinergic neurons correlates with passive avoidance impairment in rats treated with 192-saporin, 214
Zupan, L., see Denise, P., 183